

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	49943	(bi\$directional (two "2") adj way) near2 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 08:27
S5	957	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:31
S6	1	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) same ((first 1st) and (2nd second)) near3 data near3 (signal and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:42
S9	1	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) same (first 1st) with data with (signal and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:44
S10	1229	((first 1st) and (2nd second)) near5 data near5 (signal and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:37
S11	1	S7 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:45
S12	817	((first 1st) and (2nd second)) near5 data near3 (signal and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:20
S13	1	((first 1st) and (2nd second)) near5 data near3 (signal and receiver) same (2\$way bi\$directional) near5 terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:18

S14	177	@rlad<"20000509" and ((first 1st) and (2nd second)) near5 data near3 (signal and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:24
S15	56	@rlad<"20000509" and ((first 1st) and (2nd second)) near5 data near3 (signal and receiver) and (2\$way bi\$directional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:28
S16	2	@rlad<"20000509" and ((first 1st) and (2nd second)) near5 data near3 (signal and receiver) same (2\$way bi\$directional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:28
S18	232	@rlad<"20000509" and (bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:07
S20	1	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) same terminus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:33
S23	1	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) and source same receiver same terminus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:10
S24	5	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) and source and receiver same terminus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:12
S25	152	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) and source and receiver same terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:13

S26	7	(bi\$directional (two "2") adj way) near2 communication same (co\$axial (twisted adj pair adj cable)) same source same receiver same terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:13
S27	6	("4641374" "4792996" "4904993" "5105294" "5113278" "5239295").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 15:13
S28	921	(bi\$directional (2\$way two\$way (two adj way))) near3 repeater	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 15:15
S29	270	(bi\$directional (2\$way two\$way (two adj way))) near3 repeater same (cable channel)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 15:16
S30	117	(bi\$directional (2\$way two\$way (two adj way))) near3 repeater same (cable channel) same terminal	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 15:56
S31	4	@rlad<"20000509" and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:21
S32	4	(bi\$directional (2\$way two\$way (two adj way))) near3 repeater same (cross criss\$cross) near3 connection	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 15:58
S33	1	repeater with criss\$cross adj connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:05
S34	156	repeater same (criss\$cross cross traverse) near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:43
S35	157	((bi\$directional adj amplifier) repeater) same (criss\$cross cross traverse) near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:07

S36	137	((bi\$directional adj amplifier) repeater) same (criss\$cross cross traverse) near2 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:07
S37	46	((bi\$directional adj amplifier) repeater) with (criss\$cross cross traverse) near2 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:10
S38	22	((bi\$directional adj amplifier) repeater) same (criss\$cross cross traverse) near2 connection near9 terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:12
S39	32	repeater near9 (criss\$cross cross traverse) near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:30
S40	3	repeater near9 (criss\$cross cross traverse) near3 connection near6 terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:39
S41	1649	(criss\$cross cross traverse) near3 connection with (bi\$directional ((two\$way)(2\$way)) terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:46
S42	60	(criss\$cross cross traverse) near3 connection with (bi\$directional ((two\$way 2\$way)) near2 terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:49
S43	1	repeater and (crisscross cross traverse) near2 (connection link) near8 terminus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:51

S44	1753	455/400,402,11.1,14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:33
S45	425	S44 and repeater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:33
S46	13	S44 and repeater with (crisscross cross)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:35
S47	46	repeater with ((crisscross cross) adj (connection link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:48
S48	259	(cable channel) with (two more many numerous several various) adj repeater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:51
S49	127	(cable channel) near4 (two more many numerous several various) adj repeater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:53
S51	5	@rlad<"20000509" and (cable channel) near4 (two more many numerous several various) adj repeater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:54
S57	49943	(bi\$directional (two "2") adj way) near2 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:31

S59	368	(bi\$directional (two "2") adj way) same terminus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:32
S60	3	(bi\$directional (two "2") adj way) same terminus same source same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:42
S62	3557	(bi\$directional (two "2") adj way) same (cable wire) same source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:46
S63	580	(bi\$directional (two "2") adj way) same (cable wire) same source same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:46
S64	129	(bi\$directional (two "2") adj way) same (cable wire) same source same amplifier same filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:09
S65	3	(bi\$directional (two "2") adj way) same (cable wire) same source same amplifier same filter same (difference adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 09:47
S66	122	(bi\$directional (two "2") adj way) with (cable wire) with amplifier same filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:48
S69	89	(bi\$directional (two "2") adj way) same transmission same reception same frequency same source same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:39

S70	34	(bi\$directional (two "2") adj way) same transmission same reception same frequency same source same amplifier same filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:40
S71	1	signal adj source near9 amplifier with adaptive adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:41
S72	400	signal adj source near9 amplifier with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:51
S74	3	(transmission and reception) same signal adj source near9 amplifier with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:51
S75	240	signal adj source near9 amplifier near6 filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:52
S76	9	signal adj source near9 amplifier near6 ((adaptive adj filter) af)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 10:53
S79	257	adaptive adj filter with amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:06
S81	1	adaptive adj filter with input with signal adj source with amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:16

S85	1	signal adj source near6 connect\$3 near8 adaptive adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:39
S86	4	source near6 connect\$3 near8 adaptive adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:53
S87	6	source with connect\$3 with adaptive adj filter same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:41
S88	1	(bi\$directional (two "2") adj way) with terminus same connect\$3 with (source and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:54
S89	16	signal adj source near8 adaptive adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:53
S91	2	(bi\$directional (two "2") adj way) with terminus with receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:56
S92	5	(bi\$directional (two "2") adj way) with terminus same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:58
S93	704	signal adj source with amplifier with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:59

S94	134	signal adj source near6 filter near5 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 12:02
S96	62	signal adj source adj6 filter adj8 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 12:02
S97	278	signal adj source and adaptive adj filter and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 13:51
S98	747	signal near2 source and adaptive near2 filter and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 13:45
S10 0	29	signal adj (generator source) same adaptive adj filter same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 15:27
S10 2	24	(bi\$directional (two "2") adj way) near4 terminus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 15:15
S10 4	1	(bi\$directional (two "2") adj way) near4 terminus and signal adj (generator source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 15:15
S10 6	94	(bi\$directional (two "2") adj way) and terminus and signal adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 15:16

S107	1	(bi\$directional (two "2") adj way) and terminus and signal adj source and adaptive adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 15:17
S110	27	adaptive adj filter and difference adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:11
S125	8607	(transmitter and receiver) and antenna and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:13
S131	1828304	(wireless mobile cellular portable pda telephone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:07
S134	92155	power near2 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:09
S136	34025	delay near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:10
S138	224734	modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:13
S139	4485	S125 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:13

S14 0	999	S134 and S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:13
S14 1	34	S136 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:14
S14 2	19	S138 and S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:06
S14 3	13	time adj delay and rang\$3 and zero same inpulse near2 response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:10
S14 4	4946	modulator with power adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:10
S14 5	2148	modulator near5 power adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:11
S14 6	35	modulator near5 power adj amplifier same time near3 delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:17
S14 8	1669	dsl and telephone near5 office	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:38

S14 9	921345	((high\$speed) high adj speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:39
S15 0	99176	((high\$speed) high adj speed) and ((low\$speed) low adj speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:40
S15 1	10251	download and upload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:41
S15 2	971	S148 and S149	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:41
S15 3	318	S150 and S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:41
S15 4	11	S152 and S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:42
S15 6	1662	dslam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:43
S15 7	468	dslam and telephone near4 office	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:43

S15 8	400	dslam and telephone near4 office and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:24
S15 9	30	S150 and S158	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:45
S16 0	8483	down\$load and up\$load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:46
S16 1	5	S159 and S160	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:46
S16 2	878	dslam and office and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:24
S16 3	8483	down\$load and up\$load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:25
S16 4	35	S162 and S163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:38
S16 5	2	dslam and high\$speed adj down\$load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:30

S16 6	3	dslam and high\$speed near6 down\$load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:30
S16 8	3043	terminus and (pots (plain adj old adj telephone adj service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:40
S16 9	3	terminus and (pots (plain adj old adj telephone adj service)) and high\$frequency and low\$frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:43
S17 0	194	dslam and terminal and dsl adj modem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:46
S17 1	1	dslam and (bi\$directional (two\$way 2\$way)) near2 terminal and dsl adj modem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:49
S17 3	137	antenna and (many plurality various few many) near2 beamformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:16
S17 4	61	S172 and S173	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:53
S17 5	7	(many plurality various few many) near2 beamformer same equal near5 antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:18

S17 6	9	(many plurality various few many) near2 beamformer same ("same" equal) near5 antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:51
S17 7	8	(separat\$3 distinct isolated) near4 telephone near4 signal same dsl adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:33
S17 8	6	beamformer same ("same" equal) near5 subscriber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:59